



ULR:TC420125000000979F

TEST REPORT

Food Sample Analysis

Test Report No : EKO/F-017/070425-A


Issue Date : 18/04/2025

: Pratithi Organic Foods Pvt Ltd
 Khewat No 423/1 and 3 Farmana Road, Guhna,
 Sonapat, Haryana -131406 India

Sample Name : Organic Coriander Powder
 Sample Drawn by : Given by Client
 Sampling Method : NA
 Sample Packaging : Polypack
 Lot No / Batch No : D25CP001
 Mfg. Date : NA
 Exp. Date : NA
 Sample Received on : 07/04/2025
 Analysis Duration : 07/04/2025 To 16/04/2025
 Customer Reference No. : NA
 Sample Quantity : 300g
 Remark (if any) : NA

RESULTS

S. No.	PARAMETERS	TEST METHODS	RESULTS	UNITS	Specification as per FSSR-2011
Chemical Parameters:-					
1	Physical Examination	Manual of Method of analysis of Foods (Spices, Herbs & Condiment) - FSSAI 10.002:2021	Complies	-	It shall be free from mould, living and dead insects, insects fragments, rodent contamination.
2	Added Colouring Matter	Manual for analysis of Food additives (4.0):2016	Absent	-	Absent
3	Moisture	IS :1797:2017	6.91	%	NMT 9.0
4	Volatile oil Content (ODB)	IS:1797:2017	0.12	%	NLT 0.09
5	Total ash (ODB)	IS: 1797 - 2017	5.61	%	NMT 7.0
6	Ash Insoluble in dilute HCl (ODB)	FSSAI Manual for Spices & Condiments - FSSAI 10.007:2021	0.42	%	NMT 1.5
Heavy Metals:-					
1	Cadmium (as Cd)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 1.5
2	Mercury (as Hg)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 1.0
3	Lead (as Pb)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 10
4	Copper (as Cu)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 30
5	Arsenic (as As)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 5.0
6	Tin (as Sn)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 250
7	Methyl Mercury (Calculated as Element)	EKO/CHEM/SOP/FL-005	BLQ(LOQ-0.1)	mg/kg	Max 0.25
Crop Contaminants:-					
1	Total Aflatoxin	EKO/CHEM/SOP/FL-012	BLQ(LOQ-1.0)	µg/kg	Max 30.0
2	Aflatoxin B1	EKO/CHEM/SOP/FL-012	BLQ(LOQ-1.0)	µg/kg	Max 15.0
Additives:-					
1	Ascorbyl Palmitate	EKO/CHEM/SOP/FL-028	BLQ(LOQ-50.0)	mg/kg	Max 500.0





Building Relations

Eko Pro Engineers Pvt. Ltd.**(EKO TESTING LABS)[®]**

Competence | Quality | Service



Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

2	Acesulfame K	Manual for analysis of food Additives:2016	BLQ(LOQ-5.0)	mg/kg	Max 2000.
3	Butylated Hydroxyanisole	Manual for analysis of food Additives:2016	BLQ(LOQ-10.0)	mg/kg	Max 200.0
4	Butylated Hydroxytoluene	Manual for analysis of food Additives:2016	BLQ(LOQ-10.0)	mg/kg	Max 200.0
5	Neotame	Manual for analysis of food Additives:2016	BLQ(LOQ-5.0)	mg/kg	Max 32.0
6	Propyl Gallate	Manual for analysis of food Additives:2016	BLQ(LOQ-10.0)	mg/kg	Max 200
7	Sorbic Acid	Manual for analysis of food Additives:2016	BLQ(LOQ-10.0)	mg/kg	Max 1000
8	TBHQ	Manual for analysis of food Additives:2016	BLQ(LOQ-10.0)	mg/kg	Max 200.0

Pesticides:-

1	Bifenthrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
2	Bifentanol	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
3	Carbendazim	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
4	Deltamethrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
5	Ethion	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
6	Fenazaquin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
7	Fenpropathrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
8	Fluvalinate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
9	Glyphosate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
10	Flutendiamide	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
11	Emamectin Benzoate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
12	Glufosinate-ammonium	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
13	Hexaconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
14	Paraquat-Dichloride	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
15	Propargite	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
16	Propiconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
17	Thiacloprid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01






Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

18	Chlothianidin (Chlothianidine and its me metabolites (TMG) (TZMU) (MNG, TMG)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
19	Etoxiszole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
20	2,4-Dichlorophenoxy Acetic Acid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
21	Acephate (expressed as mixture of Methamidophos and acephate)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
22	Acetamiprid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
23	Alachlor	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
24	Alpha Cypermethrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
25	Alpha naphthyl Acetic Acid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
26	Azinrotradin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
27	Anilophos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
28	Atrazine	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
29	Azoxystrobin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
30	Benfuracarb	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
31	Sum of benomyl and carbendazim expressed as carbendazim	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
32	Beta Cyfluthrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
33	Buprofezin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
34	Butachlor	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
35	Captan	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
36	Carbaryl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
37	Carbofuran (sum of carbofuran and 3-hydroxy carbofuran expressed as Carbofuran)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
38	Carbosulfan	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
39	Carfentrazone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
40	Carpropamid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
41	Cartap Hydrochloride	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
42	Chlorantraniliprole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)

Competence | Quality | Service



Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

43	Chlorfenapyr	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
44	Chlorfluazuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
45	Chlorimuron ethyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
46	Chlomequat Chloride (CCC)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
47	Chlorothalonil	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
48	Chlorpropham	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
49	Cleodinafop-propargyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
50	Cyantranilipole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
51	Cyazofamid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
52	Cyhalofop-butyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
53	Cymoxanil	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
54	Cypermethrin (sum of isomers) (Fat Soluble residue)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
55	Dicofop(Sum dicofop-methyl and dicofop acid expressed as dichlofop-methyl)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
56	Dicofol (sum of o,p' and p,p' isomers)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
57	Diflubenzuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
58	Dimethoate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
59	Dimethomorph	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
60	Dithiocarbamates (the residue tolerance limit are determined and expressed as mg/CS ₂ /kg and refer separately to the residues arising from any or each group of dithiocarbamates)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
61	Mancozeb	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
62	Metiram as CS ₂	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
63	Zineb as CS ₂	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
64	Ethephon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
65	Ethoxysulfuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
66	Fenarimol	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)[®]


Competence | Quality | Service



Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

67	Fenpyroximate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
68	Fenvalerate (Fat Soluble Residue)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
69	Flonicamid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
70	Flufenacet	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
71	Foset-Al	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
72	Hexazinone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
73	Hydrogen Cyanamide	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
74	Iodosulfuron Methyl Sodium	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
75	Imazethapyr	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
76	Imidacloprid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
77	Indoxacarb	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
78	Iprobenfos (Kilazin)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
79	Malathion (malathion to be determined and expressed as cabined residues of malathion and malathion)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
80	Metolachlor	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
81	Metribuzin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
82	Orthosulfamuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
83	Oxydiargyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
84	Oxadiazon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
85	Oxydemeton-Methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
86	Oxyfluorfen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
87	Penconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
88	Pendimethalin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
89	Permethrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
90	Phenthoate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)[®]

Competence | Quality | Service



Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

91	Phorate (sum of phorate its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
92	Phosalone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
93	Pretilachlor	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
94	Profenofos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
95	Propineb	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
96	Pyrazosulfuron ethyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
97	Quinalphos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
98	Quazalofop ethyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
99	Spinosad	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
100	Sulfosulfuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
101	Tebuconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
102	Thiamethoxam	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
103	Thiophanate-methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
104	Trichlorfon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
105	Triaccontanol	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
106	Triadimefon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
107	Triallate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
108	Tricyclazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
109	Tridemorph	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
110	Topramezone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
111	2,4-D Amine Salt	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
112	Ametyrn	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
113	Fomesafen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
114	Cyflumetofen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
115	Boscalid	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)[®]

Competence | Quality | Service



Test Report No : EKO/F-017/070425-A

Issue Date : 18/04/2025

116	Spiracetramet	EKO/CHEM/SOP/FL-062	BLO(LOQ-0.01)	mg/kg	Max 0.01
Microbiological Analysis:-					
1	Aerobic Plate Count	IS:5402:2012	2280	Cfu/g	NMT 1×10^7
2	Yeast and Mould Count	IS:5403:1999	<10	Cfu/g	NMT 1×10^5
3	Salmonella	IS:5687 (P-3):1999	Absent.	Per 25g	Absent.
4	Staphylococcus aureus	IS:5687 (P-2):1976	<10	Cfu/g	1×10^3
5	ERC	FSSAI 15.008:2023	<10	Cfu/g	1×10^3
6	Bacillus cereus	IS:5687 (P-6):2012	<10	Cfu/g	1×10^4
7	Enterobacteriaceae	IS:17112 (P-2):2019	<10	Cfu/g	1×10^3

Remarks:- The Submitted Sample Conforms as per FSSAI-2011, with respect to above tested parameters Only.

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- BLO= Below Limit Quantification
- LOQ= Limit Of Detection.

**** End of Report****



Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)

Competence | Quality | Service

TEST REPORT

Food Sample Analysis

Test Report No : EKO/F-017/070425-B

Issue Date : 18/04/2025

: Pratithi Organic Foods Pvt Ltd
 Khewat No 423/1 and 3 Farnana Road, Guhna,
 Sonapat, Haryana -131408 India

Sample Name : Organic Coriander Powder
 Sample Drawn by : Given by Client
 Sampling Method : NA
 Sample Packaging : Polypack
 Lot No / Batch No : D25CP001
 Mfg. Date : NA
 Exp. Date : NA
 Sample Received on : 07/04/2025
 Analysis Duration : 07/04/2025 To 16/04/2025
 Customer Reference No. : NA
 Sample Quantity : 300g
 Remark (if any) : NA

RESULTS

S. No.	PARAMETERS	TEST METHODS	RESULTS	UNITS	Specification as per FSSR-2011
--------	------------	--------------	---------	-------	--------------------------------

Pesticides:-

1	Chlorpyrifos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
2	Lambda Cyhalothrin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
3	Azimsulfuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
4	Bensulfuron Methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
5	Bispyribac Sodium	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
6	Chromafenozide	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
7	Cinmethyline	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
8	Clomazone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
9	Diflenthuran	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
10	Dichlorvos (DDVP) (content of dischloroacetaldehyde (D.C.A) be reported where possible)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
11	Diclosulam	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
12	Difenoconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
13	Dinocap	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
14	Dinotefuran	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
15	Dithianon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
16	Ethylene bis-dithiocarbamates	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
17	Diuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
18	Dodine	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
19	Edifenphos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
20	Epoxiconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
21	Ethofenprox (Etofenprox)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
22	Fenoxadone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Test Report No : EKO/F-017/070425-B

Issue Date : 18/04/2025

23	Fenamidone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
24	Fenobucarb (BPMC)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
25	Fenoxasprop-p-ethyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
26	Fipronil	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
27	Fluazifop-p-butyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
28	Fluchloralin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
29	Flusilazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
30	Foxchlorfenuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
31	Halosulfuron methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
32	Hexythiazox	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
33	Iprodione	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
34	Isoprotiolane	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
35	Isoproturon	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
36	Kasugamycin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
37	Kresoxim Methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
38	Linuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
39	Lufenuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
40	Metsulfuron Methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
41	Milbemectin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
42	Monocrotophos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
43	Mydobutanil	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
44	Novaluron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
45	Paclobutrazol	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
46	Pencycuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
47	Penoxsulam	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
48	Picoxystrobin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
49	Pinoxaden	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
50	Priniphos-methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
51	Prehexadione Calcium	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
52	Propaquizafop	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
53	Pyraclastrobin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
54	Pyridaly	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
55	Pyriproxyfen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
56	Pyriithiolac Sodium	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
57	Pymetrozine	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
58	Quizalofop-p-tefuryl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
59	Sodium Acefluorfen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
60	Spiromesifen	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
61	Thifluzamide	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Eko Pro Engineers Pvt. Ltd.


(EKO TESTING LABS)

Competence | Quality | Service

Test Report No : EKO/F-017/070425-B

Issue Date : 18/04/2025

62	Thiodicarb	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
63	Thiometon (residues determined as thiometon its sulfoxide and sulphone expressed as thiometon)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
64	Tolfenpyrad	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
65	Trifloxystrobin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
66	Triasulfuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
67	Triazophos	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
68	Trifluralin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
69	Validamycin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
70	Fluopicolide	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
71	Tembotrione	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
72	Propanil	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
73	Fluopyram and its metabolites	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
74	Thiocyclam Hydrogen Oxalate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
75	Imazamox	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
76	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
77	Sodium Para Nitro Phenolate	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
78	Bentazone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
79	Flucetosulfuron	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
80	Haloxypyr-R-Methyl	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
81	Sulfentrazone and its metabolites Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
82	Metrafenone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
83	Fluxapyrod	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
84	Tetraconazole	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
85	Abamectin	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
86	Flupyradifurone and its metabolites Difluoroacetic Acid and Difluoroethylamino - Furanone	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01





Test Report No : EKO/F-017/070425-B

Issue Date : 18/04/2025

87	Sulfoxalor	EKO/CHEM/SOP/FL-062	BLQ(LOQ-0.01)	mg/kg	Max 0.01
----	------------	---------------------	---------------	-------	----------

Remarks:- The Submitted Sample Conforms as per FSSR-2011, with respect to above tested parameters. Only.

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.
6. BLQ= Below Limit Quantification
7. LOQ= Limit Of Detection.

** End of Report**

